

Infosafe No™ LQ29N	Issue Date : April 2013	ISSUED by PARCHEMN
--------------------	-------------------------	--------------------

Product Name : **MULSEAL PLUS**

1. Identification

GHS Product Identifier	MULSEAL PLUS
Company Name	Parchem Construction Supplies Pty Ltd (ABN 80 069 961 968)
Address	7 Lucca Road Wyong NSW 2259 Australia
Telephone/Fax Number	Tel: 02 4350 5000 Fax: 02 4351 2024
Emergency phone number	0800 154 666 (available 24/7)
Recommended use of the chemical and restrictions on use	Rubber/bitumen damp-proofing coating.
Other Information	Distributed in New Zealand by: Concrete Plus 23 Watts Road Sockburn New Zealand Tel: (03) 343 0090 Fax: (03) 343 0202

This SDS summarises at the date of issue our best knowledge of the health and safety hazard information of the product, and in particular how to safely handle and use the product in the workplace. Since Parchem Construction Supplies Pty Ltd cannot anticipate or control the conditions under which the product may be used, each user must, prior to usage, review this MSDS in the context of how the user intends to handle and use the product in the workplace.

If clarification or further information is needed to ensure that an appropriate assessment can be made, the user should contact this company. Our responsibility for product as sold is subject to our standard terms and conditions, a copy of which is sent to our customers and is also available upon request.

www.parchem.co.nz

2. Hazard Identification

GHS classification of the substance/mixture	Not classified as Hazardous according to the Hazardous Substances (Minimum Degrees of Hazard) Regulations 2001, New Zealand.
	Not classified as Dangerous Goods for transport according to the New Zealand Standard NZS 5433:2012 Transport of Dangerous Goods on Land.

3. Composition/information on ingredients

Ingredients	<u>Name</u>	<u>CAS</u>	<u>Proportion</u>
	Bitumen	8052-42-4	30-60 %
	Polymer	Proprietary	0-5 %
	Anionic emulsifier		<3 %
	Viscosity modifier		<2 %
	Sodium hydroxide	1310-73-2	<0.1 %
	1,2-Benzisothiazol-3(2H)-one	2634-33-5	<0.1 %
	Ingredients determined not to be hazardous		Balance

4. First-aid measures

Inhalation	If inhaled, remove affected person from contaminated area. Keep at rest until recovered. If symptoms persist seek medical attention.
Ingestion	Do NOT induce vomiting. Wash out mouth with water. If symptoms develop seek medical attention.
Skin	Wash affected area thoroughly with soap and water. Remove contaminated clothing and wash before reuse or discard. If symptoms develop seek medical attention.

Infosafe No™ LQ29N	Issue Date : April 2013	ISSUED by PARCHEMN
--------------------	-------------------------	--------------------

Product Name : **MULSEAL PLUS**

Eye contact	If in eyes, hold eyelids apart and flush the eyes continuously with running water. Continue flushing for several minutes until all contaminants are washed out completely. If symptoms develop and persist seek medical attention.
First Aid Facilities	Eye wash and normal washroom facilities.
Advice to Doctor	Treat symptomatically.
Other Information	For advice in an emergency, contact a Poisons Information Centre (Phone Australia 13 1126; New Zealand 0800 POISON / 0800 764 766) or a doctor at once.

5. Fire-fighting measures

Suitable extinguishing media	Use carbon dioxide, dry chemical, foam or water fog.
Hazards from Combustion Products	Under fire conditions this product may decompose and produce irritating fumes and gases including oxides of sulphur, carbon monoxide and carbon dioxide.
Specific hazards arising from the chemical	This product is non-combustible. However, following evaporation of aqueous component under fire conditions, the non-aqueous component may decompose and/or burn.
Decomposition Temp.	Not available
Precautions in connection with Fire	Fire fighters should wear Self-Contained Breathing Apparatus (SCBA) and full protective clothing to prevent exposure to vapours, fumes or products of combustion. Water spray may be used to cool down heat-exposed containers.

6. Accidental release measures

Emergency Procedures	Wear appropriate personal protective equipment and clothing to minimise exposure. Increase ventilation. If possible contain the spill. Place inert absorbent material onto spillage. Collect the material and place into a suitable labelled container. Do not dilute material but contain. Dispose of waste according to the applicable local and national regulations. If contamination of sewers or waterways occurs inform the local water and waste management authorities in accordance with local regulations.
-----------------------------	---

7. Handling and storage

Precautions for Safe Handling	Use only in a well ventilated area. Keep containers sealed when not in use. Prevent the build up of mists or vapours in the work atmosphere. Avoid inhalation of vapours and mists, and skin or eye contact. Maintain high standards of personal hygiene i.e. Washing hands prior to eating, drinking, smoking or using toilet facilities.
Conditions for safe storage, including any incompatibilities	Store in a cool, dry, well-ventilated area, out of direct sunlight. Store in suitable, labelled containers. Keep containers closed when not in use. Ensure that storage conditions comply with applicable local and national regulations.

8. Exposure controls/personal protection

Occupational exposure limit values	No exposure value assigned for this material by the Occupational Safety and Health Service (OSH) of the New Zealand Department of Labour. However, the available exposure limits for ingredients are listed below:
---	--

New Zealand Occupational Safety and Health Service (OSH) Workplace Exposure Standards:

Substance	TWA		STEL		NOTICES
	ppm	mg/m ³	ppm	mg/m ³	
Asphalt (petroleum) fumes	-	5	-	-	-

TWA (Time Weighted Average): The average airborne concentration of a particular substance when calculated over a normal eight-hour working day, for a five-day week.

STEL (Short Term Exposure Limit): The average airborne concentration over a 15 minute period which should not be exceeded at any time during a normal eight-hour workday.

Biological Limit Values	No biological limit allocated.
--------------------------------	--------------------------------

Infosafe No™ LQ29N	Issue Date : April 2013	ISSUED by PARCHEMN
--------------------	-------------------------	--------------------

Product Name : **MULSEAL PLUS**

Appropriate engineering controls	Use with good general ventilation. If mists or vapours are produced, local exhaust ventilation should be used.
Respiratory Protection	If engineering controls are not effective in controlling airborne exposure then an approved respirator with a replaceable organic vapour filter may be necessary. Reference should be made to Australian Standards AS/NZS 1715, Selection, Use and maintenance of Respiratory Protective Devices; and AS/NZS 1716, Respiratory Protective Devices, in order to make any necessary changes for individual circumstances.
Eye Protection	Safety glasses with side shields or chemical goggles should be worn. Final choice of appropriate eye/face protection will vary according to individual circumstances. Eye protection devices should conform with Australian/New Zealand Standard AS/NZS 1337 - Eye Protectors for Industrial Applications.
Hand Protection	Wear gloves of impervious material such as PVC. Final choice of appropriate gloves will vary according to individual circumstances i.e. methods of handling or according to risk assessments undertaken. Reference should be made to AS/NZS 2161.1: Occupational protective gloves - Selection, use and maintenance.
Body Protection	Suitable workwear, e.g. cotton overalls buttoned at neck and wrist should be worn.

9. Physical and chemical properties

Appearance	Liquid
Colour	Black
Odour	Slight bitumenous odour.
Decomposition Temperature	Not available
Melting Point	Not available
Boiling Point	Water will begin to boil off at 100°C.
Solubility in Water	Miscible
Solubility in Organic Solvents	Not available
Specific Gravity	1.02
pH	Not available
Vapour Pressure	Not available
Vapour Density (Air=1)	Not available
Evaporation Rate	Not available
Odour Threshold	Not available
Viscosity	Not available
Partition Coefficient: n-octanol/water	Not available
Flash Point	Not applicable
Flammability	Non-flammable
Auto-Ignition Temperature	Not applicable
Flammable Limits - Lower	Not applicable
Flammable Limits - Upper	Not applicable

10. Stability and reactivity

Chemical Stability	Stable under normal conditions of storage and handling.
Conditions to Avoid	Extremes of temperature and direct sunlight.

Infosafe No™ LQ29N	Issue Date : April 2013	ISSUED by PARCHEMN
--------------------	-------------------------	--------------------

Product Name : **MULSEAL PLUS**

Incompatible Materials	Strong oxidising agents.
Hazardous Decomposition Products	Thermal decomposition and combustion may produce noxious fumes containing oxides of carbon and oxides of sulphur.
Hazardous Polymerization	Will not occur.

11. Toxicological Information

Toxicology Information	No toxicity data available for this specific product.
Ingestion	Ingestion may cause irritation to the gastric tract, with stomach pain, nausea and vomiting.
Inhalation	Inhalation of product vapours may cause irritation of the nose, throat and respiratory system.
Skin	May be irritating to skin. The symptoms may include redness, itching and swelling.
Eye	May be irritating to eyes. The symptoms may include redness, itching and tearing.
Respiratory sensitisation	Not expected to be a respiratory sensitiser.
Skin Sensitisation	Not expected to be a skin sensitiser.
Germ cell mutagenicity	Not considered to be a mutagenic hazard.
Carcinogenicity	Not considered to be a carcinogenic hazard.
Reproductive Toxicity	Not considered to be toxic to reproduction.
STOT-single exposure	Not considered to cause toxicity to a specific target organ.
STOT-repeated exposure	Not considered to cause toxicity to a specific target organ.
Aspiration Hazard	Not expected to be an aspiration hazard.

12. Ecological information

Ecotoxicity	No ecological data are available for this material.
Persistence and degradability	Not available
Mobility	Not available
Bioaccumulative Potential	Not available
Environmental Protection	Prevent this material entering waterways, drains and sewers.

13. Disposal considerations

Disposal Considerations	<p>Product Disposal: This product can be disposed through a licensed commercial waste collection service, in accordance with applicable local and national regulations. This product is non-hazardous and therefore the New Zealand HSNO regulations regarding disposal do not apply, however other regulations may apply. It can be disposed in a licensed landfill facility.</p> <p>Container Disposal: The product is non-hazardous, therefore, the packaging may be re-used or recycled if it has been treated to remove any residual contents of the substance. Any wash-off water from the container cleaning process should be sent to a suitable waste water treatment plant before discharge into the environment. In New Zealand, the packaging (that may or may not contain any residual substance) that is lawfully disposed of by householders or other consumers</p>
--------------------------------	--

Infosafe No™ LQ29N	Issue Date : April 2013	ISSUED by PARCHEMN
Product Name : MULSEAL PLUS		

through a public or commercial waste collection service is a means of compliance with regulations.

14. Transport information

Transport Information	Road and Rail Transport: Not classified as Dangerous Goods for transport according to the NZS 5433:2012 Transport of Dangerous Goods on Land.
	Marine Transport (IMO/IMDG): Not classified as Dangerous Goods by the criteria of the International Maritime Dangerous Goods Code (IMDG Code) for transport by sea.
	Air Transport (ICAO/IATA): Not classified as Dangerous Goods by the criteria of the International Air Transport Association (IATA) Dangerous Goods Regulations for transport by air. No
IMDG Marine pollutant	

15. Regulatory information

Regulatory Information	New Zealand: Not classified as Hazardous according to the New Zealand Hazardous Substances (Minimum Degrees of Hazard) Regulations 2001. All components of this product are listed on the New Zealand Inventory of Chemicals (NZIoC) or exempted.
-------------------------------	---

16. Other Information

Date of preparation or last revision of SDS	SDS Created: April 2013
Literature References	New Zealand: Workplace Exposure Standards and Biological Exposure Indices , Department of Labour, Health & Safety. Transport of Dangerous goods on land NZS 5433. Preparation of Safety Data Sheets - Approved Code of Practice Under the HSNO Act 1996 (HSNO CoP 8-1 09-06). Assigning a hazardous substance to a group standard. American Conference of Industrial Hygienists (ACGIH).
Contact Person/Point	Technical Support: 1800 812 864 ...End Of MSDS...

© Copyright ACOHS Pty Ltd

Copyright in the source code of the HTML, PDF, XML, XFO and any other electronic files rendered by an Infosafe system for Infosafe MSDS displayed is the intellectual property of Acohs Pty Ltd.

Copyright in the layout, presentation and appearance of each Infosafe MSDS displayed is the intellectual property of Acohs Pty Ltd.
The compilation of MSDS's displayed is the intellectual property of Acohs Pty Ltd.

Copying of any MSDS displayed is permitted for personal use only and otherwise is not permitted. In particular the MSDS's displayed cannot be copied for the purpose of sale or licence or for inclusion as part of a collection of MSDS without the express written consent of Acohs Pty Ltd.